

Product data sheet

Specifications

ASCO Power Technologies



J-Frame ATS, ASCO Series 300, open transition, 3 pole, 600A, 208V, Type 3R, with 11BE, Cat# J03ATSA30600CGXF, 11BE [TAA, BAA, BABA]

PPATS_1018273

Main

Switch Series	ASCO 300 Series
Product or Component Type	Transfer switch
Rated Current	600 A
Number of Phases	Three phase
Number of Poles	3P
Rated Voltage	240 V

Complementary

Neutral Configurations	Solid neutral
Transition Mode	Open
Operation Mode	Automatic
Hot to Hot Transfer Time	< 80 ms
Controller	Group G
Communication Capability	Modbus TCP RS485
Service Entrance Rated	Not service entrance rated
Center Off Position	No
Enclosure Options	UL Type 3R
Switch Frame	J-Frame

Ordering and shipping details

GTIN	3606486821862
------	---------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	63.0 in (160 cm)
Package 1 Width	18.2 in (46.2 cm)
Package 1 Length	18.2 in (46.2 cm)
Package weight(Lbs)	341.7 lb(US) (155 kg)

Compliance

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Compliance

TAA Compliant
BAA Compliant
BABA Compliant
BAA Compliant via COTS

Contractual warranty

Warranty (in months) 18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	2 760 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	694 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	18 kg CO2 eq.
Carbon footprint of the installation phase [A5]	26 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	1 784 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	237 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative

